

SPACEWALL®

SISTEMI DI ARREDO

MEDICAL EXPORT



SPACEWALL - MEDICAL EXPORT
medical furniture, equipments & supplies

CABINET WITH SLIDING DOORS

Codice prodotto: ST- 1200MT



Descrizione Prodotto

Description

Cabinet with sliding doors made of grey oven painted sheet steel, with 2 sliding doors on ball bearing rails, with key locking and double keys, and 4 adjustable rack mounted shelves. Supplied in assembling kit, volume about 0,3 m³.

Overall dimensions about cm 120x45x200 high, net weight about kg 81.

CABINET WITH SLIDING DOORS

Codice prodotto: ST- 1200MTV



Descrizione Prodotto

Description

Cabinet with tempered glass sliding doors made of grey oven painted sheet steel, with 2 sliding doors on ball bearing slides, with tempered glass panels mounted on sheet steel frames, with key locking and double keys, and 4 adjustable rack mounted shelves made of grey oven painted sheet steel. Supplied in assembling kit, volume about 0,3 m³.

Overall dimensions about cm 120x45x200 high, net weight about kg 91.

CABINET WITH HINGED DOORS

Codice prodotto: ST-1000MT



Descrizione Prodotto

Description

Cabinet with hinged doors made of grey oven painted sheet steel, with 2 hinged doors with key locking and double keys, and 4 adjustable rack mounted shelves. Supplied already assembled, volume about 0,9 m³.

Overall dimensions about cm 100x45x200 high, net weight about kg 68.

OPERATING ROOM CABINET

Codice prodotto: ST-1202-A



Descrizione Prodotto

Description

Operating room cabinet totally made of AISI 304 stainless steel, with 2 hinged doors mm 1 thick, with key locking and double keys, and 4 adjustable rack-mounted shelves (additional shelves available as optionals). AISI 304 stainless steel external frame scotch brite satined mm 0,8 thick with macryvilene insulating panels. 4 legs at the base covered with removable panel. Supplied already assembled, volume about 0,93 m³.

Overall dimensions about cm 100x48x190 high, net weight about kg 132.

OPERATING ROOM CABINET

Codice prodotto: ST- 1201-A



Descrizione Prodotto

Description

Operating room cabinet divided in 2 different and independent parts. Upper part provided with 2 hinged doors made of tempered glass mm 5 thick, with key locking and double keys, and 3 adjustable rack-mounted glass shelves mm 6 thick; lower part provided with AISI 304 stainless steel 2 hinged doors mm 1 thick with key locking and double keys, and 1 rack-mounted AISI 304 stainless steel shelf mm 0,8 thick. AISI 304 stainless steel external frame scotch brite satined mm 0,8 thick with macryvilene insulating panels. 4 legs at the base covered with removable panel. Supplied already assembled, glass parts excluded; volume about 0,93 m³.

Overall dimensions about cm 100x48x190 high, net weight about kg 124.

OPERATING ROOM CABINET

Codice prodotto: ST-1203-A



Descrizione Prodotto

Description

Operating room cabinet divided in 2 different and independent parts. Upper part provided with 2 hinged doors made of tempered glass mm 5 thick, with key locking and double keys, and 3 adjustable rack-mounted glass shelves mm 6 thick; lower part provided with 4 AISI 304 stainless steel drawers with inner dimensions cm 100x37x9 high. AISI 304 stainless steel external frame scotch brite satined mm 0,8 thick with macryvilene insulating panels. 4 legs at the base covered with removable panel. Supplied already assembled, glass parts excluded; volume about 0,93m³.

Overall dimensions about cm 100x48x190 high, net weight about kg 136.

OPERATING ROOM CABINET

Codice prodotto: ST- 1200-A



Descrizione Prodotto

Description

Operating room cabinet made of AISI 304 stainless steel, with 2 hinged doors made of tempered glass mm 5 thick, with key locking and double keys, 4 adjustable rack-mounted glass shelves mm 6 thick (additional shelves available as optionals). AISI 304 stainless steel external frame scotch brite satined mm 0,8 thick with macryvilene insulating panels. 4 legs at the base covered with removable panel. Supplied already assembled, glass parts excluded; volume about 0,93 m³.

Overall dimensions about cm 100x48x190 high, net weight about kg 107.

DRESSING CABINET WITH 1 DOOR

Codice prodotto: ST-2490



Descrizione Prodotto

Description

Dressing cabinets with 1 independent places made of grey stove enamelled sheet steel, with reinforced hinged doors provided with key locking and double keys; inside provided with hanging bar, shelf in the upper part and umbrella support inside the door; holes on the door for air exchange. Multiple versions present independent sections thanks to the inner wall which divides the cabinet totally. 4 strong legs at the base. Supplied already assembled and ready for use, overall dimensions about cm 35x35x180 high, volume about 0,22 m³, net weight about kg 27

CABINET WITH SLIDING DOORS

Codice prodotto: ST-1800MT



Descrizione Prodotto

Description

Cabinet with sliding doors made of grey oven painted sheet steel, with 2 sliding doors on ball bearing slides, with key locking and double keys, and 4 rack mounted shelves, adjustable on 2 different levels thanks to an inner separation which divides the cabinet in 2 separated parts. Supplied in assembling kit, volume about 0,4 m³. Overall dimensions about cm 180x45x200 high, net weight about kg 114.

CABINET WITH SLIDING DOORS

Codice prodotto: ST-1800MTV



Descrizione Prodotto

Description

Cabinet with tempered glass sliding doors made of grey oven painted sheet steel, with 2 sliding doors on ball bearing slides, with tempered glass panels mounted on sheet steel frames, with key locking and double keys, and 8 rack mounted shelves, adjustable on 2 different levels thanks to an inner separation which divides the cabinet in 2 separated parts. Supplied in assembling kit, volume about 0,4 m³. Overall dimensions about cm 180x45x200 high, net weight about kg 134.

DRESSING CABINET WITH 2 DOORS

Codice prodotto: ST-2491



Descrizione Prodotto

Description

Dressing cabinets with 2 independent places made of grey stove enamelled sheet steel, with reinforced hinged doors provided with key locking and double keys; inside provided with hanging bar, shelf in the upper part and umbrella support inside the door; holes on the door for air exchange. Multiple versions present independent sections thanks to the inner wall which divides the cabinet totally. 4 strong legs at the base. Supplied already assembled and ready for use, overall dimensions about cm 70x35x180 high, volume about 0,44 m³, net weight about kg 36

DRESSING CABINET WITH 3 DOORS

Codice prodotto: ST-2492



Descrizione Prodotto

Description

Dressing cabinets with 3 independent places made of grey stove enamelled sheet steel, with reinforced hinged doors provided with key locking and double keys; inside provided with hanging bar, shelf in the upper part and umbrella support inside the door; holes on the door for air exchange. Multiple versions present independent sections thanks to the inner wall which divides the cabinet totally. 4 strong legs at the base. Supplied already assembled and ready for use, overall dimensions about cm 105x35x180 high, volume about 0,66 m³, net weight about kg 42

CABINET WITH 1 DOOR AND LATERALLY CLOSED

Codice prodotto: ST-2250-E



Descrizione Prodotto

Description

Suitable for medicines, instruments and other little objects, with 1 hinged glass door; frame made of white epoxy-powder enameled sheet steel; provided with hinged glass door with key locking; lateral panels made of sheet steel, and 3 adjustable rack-mounted shelves made of glass. 4 legs at the base, with anti-slipping plastic parts. Supplied already assembled, glass parts excluded; volume about 0,28 m³. Overall dimensions about cm 53x36x144 high, net weight about kg 31.

CABINET WITH 1 DOOR

Codice prodotto: ST-2250



Descrizione Prodotto

Description

Suitable for medicines, instruments and other little objects, with 1 hinged glass door; frame made of white epoxy powder enamelled sheet steel; provided with hinged glass door with key locking; lateral panels and 3 adjustable rackmounted shelves made of glass. 4 legs at the base, with antislipping plastic parts. Supplied already assembled, glass parts excluded; volume about 0,28 m³. Overall dimensions about cm 53x36x144 high, net weight about kg 31.

CABINET WITH SLIDING DOORS

Codice prodotto: ST-2260



Descrizione Prodotto

Description

Suitable for medicines, instruments and other little objects, with 4 sliding doors; frame made of white epoxy-powder enamelled sheet steel, divided in 2 independent parts, each provided with 2 sliding doors with key locking and 2 rackmounted shelves, made of glass (4 shelves in total). 4 legs at the base, with anti-slipping plastic parts. Supplied already assembled, glass parts excluded; volume about 0,60 m³. Overall dimensions about cm 80x37x193 high, net weight about kg 53.

CABINET WITH HINGED DOORS

Codice prodotto: ST-2261



Descrizione Prodotto

Description

Suitable for medicines, instruments and other little objects, with 2 independent hinged doors, both closed with key locking; frame made of white epoxy-powder enamelled sheet steel; lateral panels and 4 rack-mounted shelves made of glass. 4 legs at the base, with anti-slipping plastic parts. Supplied already assembled, glass parts excluded; volume about 0,50 m³. Overall dimensions about cm 75x38x169 high, net weight about kg 49.

CABINET WITH 4 DOORS

Codice prodotto: ST-2280



Descrizione Prodotto

Description

Suitable for medicines, instruments and other little objects, with 4 doors; frame made of white epoxy-powder enamelled sheet steel, divided in 2 independent parts; upper part with 2 glass sliding doors with key locking and 2 glass rack-mounted shelves, lower part with 2 hinged sheet steel doors and 1 inner not-adjustable shelf also made of sheet steel. 4 legs at the base, with anti-slipping plastic parts. Supplied already assembled, glass parts excluded; volume about 0,60 m³. Overall dimensions about cm 80x37x193 high, net weight about kg 53.

CABINET WITH 4 HINGED DOORS

Codice prodotto: ST-2281



Descrizione Prodotto

Description

Suitable for medicines, instruments and other little objects, with 4 hinged doors; frame made of white epoxy-powder enamelled sheet steel, divided in 2 independent parts; upper part with 2 glass doors with key locking and 2 glass rackmounted shelves, lower part with 2 sheet steel doors and 1 inner fixed shelf also made of sheet steel. 4 legs at the base, with anti-slipping plastic parts. Supplied already assembled, glass parts excluded; volume about 0,50 m³. Overall dimensions about cm 75x38x171 high, net weight about kg 50.

WALL CABINET

Codice prodotto: ST-2282



Descrizione Prodotto

Description

Wall cabinets suitable for medicines, instruments and other little objects, with 2 sliding doors; frame made of white epoxy-powder enamelled sheet steel; doors and 2 rack-mounted shelves made of glass. 2 rear holes for wall hanging. Supplied already assembled, glass parts excluded
overall dimensions about cm 60x30x60 high, weight about kg 16. volume about 0,11 m³, net weight about kg 10

WALL CABINET

Codice prodotto: ST-2282-1



Descrizione Prodotto

Description

Wall cabinets suitable for medicines, instruments and other little objects, with 2 sliding doors; frame made of white epoxy-powder enamelled sheet steel; doors and 2 rack-mounted shelves made of glass. 2 rear holes for wall hanging. Supplied already assembled, glass parts excluded
overall dimensions about cm 120x30x60 high, volume about 0,22 m³, net weight about kg 14

EXAMINATION COUCH 3 SECTION GYNECOLOGICAL ECONOMIC LINE

Codice prodotto: ST-2315-E



Descrizione Prodotto

Description

Gynaecology couch, economic version, structure in chromed round steel tube diam. mm 30, with adjustable not-padded leg supports art. 2330/1 included. Provided with raising and adjustable back section and leg section by friction handle. With 3 sections, covered with soft washable ecoleather, available in grey, white, black, dark brown and cream. The padding is made of comfortable foam.

Also available on request and not included paper roll support art. 2950 and padded leg supports art. 2330/2 of same colour.

Supplied already assembled, volume 0,80 m³.

Overall dimensions about cm 185x57x75 high.

Net weight about kg 34.

Length 185 cm

Width 57 cm

Height 75 cm

Weight 34 kg

EXAMINATION COUCH 3 SECTION GYNECOLOGICAL ECONOMIC LINE

Codice prodotto: ST-2330-E



Descrizione Prodotto

Description

Gynaecology couch with basin, economic version, structure in chromed round steel tube diam. mm 30, with adjustable black foam leg supports art. 2330/3 and chromed steel basin support with basin included and without step. Provided with raising and adjustable back section and leg section by friction handle. With 3 sections, covered with soft washable ecoleather, available in grey, white, black, dark brown and cream. Leg section especially shaped for gynaecology. Padding made of comfortable foam.

Also available on request and not included paper roll support art. 2950 and padded leg supports art. 2330/2 of same colour.

Supplied already assembled, volume 0,80 m³.

Overall dimensions about cm 185x57x75 high.

Net weight about kg 36.

Length 185 cm

Width 57 cm

Height 75 cm

Weight 36 kg

WOODEN CARDIOLOGIC BED

Codice prodotto: ST- 2340-E



Descrizione Prodotto

Description

Wooden cardiologic bed, frame made of natural polished beech, platform base in 2 sections made of wood chipboard and padded with polyurethane and covered with soft and washable vinyl leather available in white, black, brown and cream colours; adjustable head support by rack.

Roll paper support art. 2950/L available on request (optional, not included).

Supplied in assembling kit, volume m³ 0,48.

Overall dimensions about cm 190x75x70 high.

Net weight about kg 35.

Length 190 cm

Width 75 cm

Height 70 cm

Weight 35 kg

CARDIOLOGIC BED

Codice prodotto: ST- 2341



Descrizione Prodotto

Description

Cardiologic and massage bed, suitable for massage and cardiologic use, frame made of aluminium alloy round tube, adjustable head support by rack. 2 sections platform made of wood chipboard and padded with heliocell density kg 25/m³ cm 4 thick, and covered with soft and washable vinyl leather available in white, black, brown and cream colours.

Roll paper support art. 2950 available on request (optional, not included).

Supplied already in assembling kit, volume 0,27.

Overall dimensions about cm 176x75x78 high.

Net weight about kg 35.

Length 176 cm

Width 75 cm

Height 78 cm

Weight 35 kg

CASE COUCH WITH BREATHING HOLE

Codice prodotto: ST- 2345CF-E



Descrizione Prodotto

Description

Case couch with breathing hole, 3-sections frame made of squared chromed steel tube with adjustable head support by rack and breathing hole; 3 sections platform made of wood chipboard, padded with comfortable expanded foam density kg 25/m³ and cm 4 thick, covered with soft and washable vinyl leather available in blue, white, black, grey, brown and cream colours; provided with sturdy PVC handle, 6 foldable legs and locking system to avoid accidental opening during transport.

Roll paper support art. 2950/V available on request (optional, not included).

Supplied already assembled, volume m³ 0,08.

Overall dimensions about cm 180x62x70 high when open, cm 62x90x15 when closed.

Net weight about kg 16.

Length 180 cm

Width 62 cm

Height 70 cm

Weight 18 kg

CASE COUCH

Codice prodotto: ST- 2345-E



Descrizione Prodotto

Description

Case couch, frame made of squared chromed steel tube with adjustable head support; 3 sections platform made of wood chipboard, padded with comfortable expanded foam cm 4 thick and covered with soft and washable vinyl leather available in blue, white, black, grey, brown and cream colours; provided with sturdy plastic handle for transport.

Roll paper support art. 2950/V and coloured nylon bag for transport art. 2950/B available on request (optional, not included). Supplied already assembled, volume m³ 0,08.

Overall dimensions about cm 170x62x70 high when open, cm 62x84x15 when closed.

Net weight about kg 18.

Length 170 cm

Width 62 cm

Height 70 cm

Weight 18 kg

EXAMINATION COUCH 2 SECTION

Codice prodotto: ST- 2350



Descrizione Prodotto

Description

2 sections visit bed, frame made of aluminium alloy round tube, adjustable head support by rack. 2 sections platform made of wood chipboard and padded with heliocell density kg 25/m³ cm 4 thick, and covered with soft and washable vinyl leather available in white, black, grey, brown and cream colour.

Roll paper support art. 2950 available on request (optional, not included).

Supplied in assembling kit, volume about m³ 0,23.

Overall dimensions about cm 176x60x78 high.

Net weight about kg 27.

Length 176 cm

Width 60 cm

Height 78 cm

Weight 27 kg

EXAMINATION COUCH 2 SECTION

Codice prodotto: ST- 2352-E



Descrizione Prodotto

Description

2 sections visit couch, visit couch "Simplex" model, structure in chromed round steel tube diam. mm 30, with raising and adjustable back section by self blocking friction handle. With 2 sections, covered with soft washable ecoléather, available in grey, white, black, dark brown, blue and cream. Padding is made of comfortable expanded foam density kg 30/m³. Also available on request paper roll support art. 2950 (not included, to be ordered separately).

Supplied in assembling kit, volume 0,30 m³. Overall dimensions about cm 176x60x76 high.

Net weight about kg 24.

Length 176 cm

Width 60 cm

Height 76 cm

Weight 24 kg

PEDIATRIC EXAMINATION COUCH

Codice prodotto: ST- 2360



Descrizione Prodotto

Description

Pediatric bed, for pediatric use, frame made of aluminium alloy round tube. Single section platform made of wood chipboard and padded with heliocell density kg 25/m³ cm 4 thick, and covered with soft and washable vinyl leather available in white, black, grey, brown and cream colour. Roll paper support art. 2950 available on request (optional, not included). Supplied already assembled, volume about m³ 0,65. Overall dimensions about cm 125x55x80 high. Net weight about kg 17.

Length 125 cm
Width 55 cm
Height 80 cm
Weight 17 kg

BLOOD DONOR CHAIR

Codice prodotto: ST- 2361



Descrizione Prodotto

Description

Blood taking chair, 3-sections frame made of chromed steel round tube; seat, leg support, backrest and arm supports made of wood chipboard, padded with expanded foam and covered with soft and washable vinyl leather cream colour; arm supports adjustable in height and turnable, synchronized movement of legs support and backrest, adjustable by handle. Seat cm 50x54x6, backrest cm 85x54x6, legs support cm 36x54x6, arm supports cm 41x15x4 each, distance from floor to seat cm 50. Supplied in assembling kit, volume about m³ 0,73. Overall dimensions about cm 180x65x60 high. Net weight about kg 26.

Length 180 cm
Width 65 cm
Height 60 cm
Weight 26 kg

EXAMINATION COUCH 2 SECTION ADJUSTABLE HEIGHT

Codice prodotto: ST- 2361-C



Descrizione Prodotto

Description

Examination couch with electric adjustable height, structure made of epoxy-coated rectangular steel tube, head support adjustable by rack; mattress with 2 anatomical cushions, padded and covered with washable and soft cream ecoleather. Adjustable height from cm 45 to cm 80, by electric motor 230/110V, 24V actuator and hand control panel. Supplied already assembled, volume about m³ 0,50. Overall dimensions about cm 180x65x45 high. Net weight about kg 62.

Length 180 cm
Width 65 cm
Height 45 cm
Weight 62 kg

BLOOD DONOR CHAIRS

Codice prodotto: ST- 2361SE



Descrizione Prodotto

Description

Blood donor chair, 3-sections disassembling frame made of chromed round steel tube; adjustable backrest and leg support with selflocking system, synchronized movement of arm supports and backrest. Wide arm supports, with adjustable height and made of black polyurethane foam; covered with self extinguishing vinyl leather available in black, white, grey, red and blue colour. Castors and roll paper support available on request (not included optionals, to be ordered separately). Supplied in assembling kit, volume about m³ 0,23. Overall dimensions about cm 180x60x50 high. Net weight about kg 33.

Length 180 cm
Width 60 cm
Height 65 cm
Weight 33 kg

PADDED STRETCHER

Codice prodotto: ST-2489-5



Descrizione Prodotto

Description

Padded stretcher fixed height, adjustable backrest by clutch handle; plane frame padded and covered with soft washable black vinyl leather, made of rectangular epoxy-powder painted steel tube; legs and pushing handle made of chromed round tube. Standard model supplied with collapsible lateral rails made of tubular chromed steel with click locking and unlocking system, 4 swivelling castors diam. mm 100 (2 with brake), and 2 places IV stand art. 2630 with clamp art. 2620.

Overall dimensions including pushing handle about cm 203x63x82 high, net weight about kg 16.

Supplied in assembling kit, volume about 0,22 m³.

Length 203 cm
Width 63 cm
Height 82 cm
Weight 16 kg
Delivery time: in stock

STRETCHER WITH ADJUSTABLE HEIGHT

Codice prodotto: ST-2489-7



Descrizione Prodotto

Description

2-sections stretcher with adjustable height main frame made of rectangular steel tube 40x30 mm, provided with multifunctional polished cast aluminium joints for side rails and with multifunctional nylon joints at 4 corners for push bar frame, fixed height I.V. rod art. 2489/CAF (optional, not included) and monitor support art. 2489/CPM (optional, not included); provided with full length and width soft PVC bumpers, unremovable. Section frame made of semi-oval steel tube 40x20 mm. Mattress platform composed of 2 removable steel welded meshes Ø 5 mm and Ø 6 mm, locked on special nylon parts, dimensions cm 190x60. Side rails frame made of round anodized aluminium tube Ø 30 mm and Ø 22 mm; provided with nylon parts with exclusive ergonomic design and with 3-positions handle, for easy and safe handling; easy to unlock and lower by rotation device. Push bar frame made of round anodized aluminium tube Ø 30 mm and Ø 22 mm. Support frame made of semi-oval 50x40 mm and round Ø 32 mm steel tubes. 4 castors Ø 200 mm, controlled by a 3-positions foot lever for very easy patient trolley movement: 3 swivelling and 1 steering, 4 swivelling, 4 braked. Steel coating RAL 1013 ivory epoxy powder (average coating 90 micron, 200°) by industrial robot. Prearranged to hold optional wire basket art. 2489/CPO (optional, not included), gas cylinder holder art. 2489/CPB (optional, not included) or gas cylinder holder with wire basket art. 2489/PB-PO (optional, not included). Backrest adjustment to any position (max 80°) by power-assisted gas spring device with handle on head side. Adjustable height from 50 to 80 cm by oleodynamic pump activated by means of foot pedal. Maximum load kg 120 (mattress included).

Overall dimensions about cm 202x76x50/80 high, net weight about kg 85.

Supplied in assembling kit, volume about 0,80 m³.

Length 202
Width 76
Height 50/80
Loading capacity 180 kg
Delivery time: 40 days

STRETCHER WITH ADJUSTABLE HEIGHT

Codice prodotto: ST-2489-7T



Descrizione Prodotto

Description

2-sections stretcher with adjustable height & TR-RTR movements main frame made of rectangular steel tube 40x30 mm, provided with multifunctional polished cast aluminium joints for side rails and with multifunctional nylon joints at 4 corners for push bar frame, fixed height I.V. rod art. 2489/CAF (optional, not included) and monitor support art. 2489/CPM (optional, not included); provided with full length and width soft PVC bumpers, unremovable. Section frame made of semi-oval steel tube 40x20 mm. Mattress platform composed of 2 removable steel welded meshes Ø 5 mm and Ø 6 mm, locked on special nylon parts, dimensions cm 190x60. Side rails frame made of round anodized aluminium tube Ø 30 mm and Ø 22 mm; provided with nylon parts with exclusive ergonomic design and with 3-positions handle, for easy and safe handling; easy to unlock and lower by rotation device. Push bar frame made of round anodized aluminium tube Ø 30 mm and Ø 22 mm. Support frame made of semioval 50x40 mm and round Ø 32 mm steel tubes. 4 castors Ø 200 mm, controlled by a 3-positions foot lever for very easy patient trolley movement: 3 swivelling and 1 steering, 4 swivelling, 4 braked. Steel coating RAL 1013 ivory epoxy powder (average coating 90 micron, 200°) by industrial robot. Prearranged to hold optional wire basket art. 2489/CPO (optional, not included), gas cylinder holder art. 2489/CPB (optional, not included) or gas cylinder holder with wire basket art. 2489/PB-PO (optional, not included). Backrest adjustment to any position (max 80°) by power-assisted gas spring device with handle on head side. Adjustable height from 50 to 80 cm by oleodynamic pump activated by means of foot pedal. Trendelenburg tilt and reverse to any position (max 14° TR head down, max 11° RTR leg down) by friction ratchet with handle on foot side. A bubble level

fixed on main frame allows you to quickly check tilt level. Maximum load kg 120 (mattress included).

Overall dimensions about cm 202x76x50/80 high, net weight about kg 85.

Supplied in assembling kit, volume about 0,80 m³.

Length 202

Width 76

Height 50/80

Loading capacity 180 kg

Delivery time: 40 days

STRETCHER WITH FIXED HEIGHT

Codice prodotto: ST- 2489-8



Descrizione Prodotto

Description

2-sections stretcher with headrest & siderails main frame made of rectangular steel tube 40x30 mm, provided with multifunctional polished cast aluminium joints for side rails and with multifunctional nylon joints at 4 corners for push bar frame, fixed height I.V. rod art. 2489/CAF (optional, not included) and monitor support art. 2489/CPM (optional, not included); provided with full length and width soft PVC bumpers, unremovable. Section frame made of semi-oval steel tube 40x20 mm; mattress platform composed of 2 removable steel welded meshes \varnothing 5 mm and \varnothing 6 mm, locked on special nylon parts; side rails frame made of round anodized aluminium tube \varnothing 30 mm and \varnothing 22 mm. Provided with nylon parts with exclusive ergonomic design and with 3-position handle, for easy and safe handling. Easy to unlock and lower by rotation device. Push bar frame made of round anodized aluminium tube \varnothing 30 mm and \varnothing 22 mm. Support frame made of semi-oval steel tube 40x20 mm and round anodized aluminium tube \varnothing 30 mm with 4 swivelling castors \varnothing 200 mm, 2 with diagonal brakes. Steel coating RAL 1013 ivory epoxy powder (average coating 90 micron, 200°) by industrial robot. Prearranged to hold optional wire basket art. 2489/CPO (not included, to be ordered separately) and gas cylinder holder art. 2489/CPB-1 (not included, to be ordered separately). Backrest adjustment to any position (max 80°) by powerassisted gas spring device with handle on head side. Maximum load kg 120 (mattress included). Overall dimensions about cm 202x76x75 high, net weight about kg 47. Supplied in assembling kit, volume about 0,32 m³.

Length 202

Width 76

Height 75

Loading capacity 120 kg

Delivery time: 40 days

STRETCHER PARTIALLY AMAGNETIC

Codice prodotto: ST- 2489-9A



Descrizione Prodotto

Description

Stretcher for magnetic resonance (partially amagnetic) main frame made of round anodized aluminium tube Ø 30 mm, provided with multifunctional polished cast aluminium joints for side rails lock on. Mattress platform is radiotranslucent and made of high pressure plastic laminate panel 6 mm. Side rails frame made of round anodized aluminium tube Ø 30 mm and Ø 22 mm, provided with nylon parts with exclusive ergonomic design and with 3-position handle, for easy and safe handling, easy to unlock and lower by rotation device. Push bar frame made of round anodized aluminium tube Ø 30 mm and Ø 22 mm. Support frame made of semi-oval 40x20 mm and round Ø 30 mm anodized aluminium tube with 4 swivelling castors Ø 200 mm, 2 with diagonal brakes. Maximum load kg 120 (mattress included).

Overall dimensions about cm 200x63x78 high, net weight about kg 30.

Supplied in assembling kit, volume about 0,25 m³.

Length 200

Width 63

Height 78

Loading capacity 120 kg

Delivery time: 40 days

STRETCHER FULL AMAGNETIC

Codice prodotto: ST- 2489-9CA



Descrizione Prodotto

Description

Stretcher for magnetic resonance (full amagnetic) main frame made of round anodized aluminium tube \varnothing 30 mm, provided with multifunctional polished cast aluminium joints for side rails lock on. Mattress platform is radiotranslucent and made of high pressure plastic laminate panel 6 mm. Side rails frame made of round anodized aluminium tube \varnothing 30 mm and \varnothing 22 mm, provided with nylon parts with exclusive ergonomic design and with 3-position handle, for easy and safe handling, easy to unlock and lower by rotation device. Push bar frame made of round anodized aluminium tube \varnothing 30 mm and \varnothing 22 mm. Support frame made of semi-oval 40x20 mm and round \varnothing 30 mm anodized aluminium tube with 4 swivelling castors \varnothing 200 mm, 2 with diagonal brakes. Maximum load kg 120 (mattress included).

Overall dimensions about cm 200x63x78 high, net weight about kg 30.

Supplied in assembling kit, volume about 0,25 m³.

Length 200

Width 63

Height 78

Loading capacity 120 kg

STRETCHER WITH TROLLEY

Codice prodotto: ST- 2489-A1



Descrizione Prodotto

Description

Stretcher with trolley, siderails & headrest trolley made of chromed steel round tube; 4 castors diam. cm 20 (2 with brake); rectangular white epoxy-powder coated mattress platform cm 190x58, with adjustable headrest by rack; provided with 2 pushing handles made of chromed steel round tube with bumpers at corners, and pair of collapsible siderails made of chromed steel round tube.

Overall dimensions including pushing handles about cm 195x65x75 high, net weight about kg 30.

Supplied in assembling kit, volume about 0,90 m³.

Length 195 cm

Width 65 cm

Height 75 cm

Weight 30 kg

Delivery time: about 40 days

OPERATING ROOM TABLE cm 150 x 65 x 86

Codice prodotto: ST- 2500



Descrizione Prodotto

Description

Operating room table, dim. 150x65x86h cm

Operating room tables with 2 AISI 304 stainless steel shelves and aluminium tube carrying structure; lower shelf with anti-falling rails on 3 sides; complete with 4 pirouetting castors diam. mm 80.

Overall dimensions about cm 150x65x86, net weight about kg 32, volume m³ 0,20

Supplied in assembling kit.

Length 150 cm

Width 65 cm

Height 86 cm

Weight 32 kg

OPERATING TABLE cm 135 x 65 x 86

Codice prodotto: ST-2501



Descrizione Prodotto

Description

Operating room table, dim. 135x65x86h cm

Operating room tables with 2 AISI 304 stainless steel shelves and aluminium tube carrying structure; lower shelf with anti-falling rails on 3 sides; complete with 4 pirouetting castors diam. mm 80.

Overall dimensions about 135x65x86h cm, net weight about kg 30, volume m³ 0,18
Supplied in assembling kit.

Length 135 cm

Width 65 cm

Height 86 cm

Weight 30 kg

OPERATING TABLE cm 120 x 65 x 86

Codice prodotto: ST-2502



Descrizione Prodotto

Description

Operating room table, dim. 120x65x86h cm

Operating room tables with 2 AISI 304 stainless steel shelves and aluminium tube carrying structure; lower shelf with anti-falling rails on 3 sides; complete with 4 pirouetting castors diam. mm 80.

Overall dimensions about 120x65x86h cm, net weight about kg 28, volume m³ 0,16
Supplied in assembling kit.

Length 120 cm

Width 65 cm

Height 86 cm

Weight 28 kg

OPERATING TABLE cm 80 x 65 x 86

Codice prodotto: ST-2503



Descrizione Prodotto

Description

Operating room table, dim. 80x65x86h cm

Operating room tables with 2 AISI 304 stainless steel shelves and aluminium tube carrying structure; lower shelf with anti-falling rails on 3 sides; complete with 4 pirouetting castors diam. mm 80.

Overall dimensions about 80x65x86h cm, net weight about kg 22, volume m³ 0,11
Supplied in assembling kit.

Length 80 cm

Width 65 cm

Height 86 cm

Weight 22 kg

OPERATING TABLE WITH INSTRUMENTS SUPPORT cm 150 x 65 x 86

Codice prodotto: ST-2510



Descrizione Prodotto

Description

Operating room tables with instruments support, dim. 150x65x86h cm

Operating room tables with AISI 304 stainless steel shelf, and aluminium tube carrying structure and rear instruments support; complete with 4 pirouetting castors diam. mm 80 and 4 sheet steel instruments hooks.

Overall dimensions about 150x65x86h cm, net weight about kg 33, volume m³ 0,20.
Supplied in assembling kit.

Length 150 cm

Width 65 cm

Height 86 cm

Weight 33 kg

OPERATING TABLE WITH INSTRUMENTS SUPPORT cm 135 x 65 x 86

Codice prodotto: ST-2511



Descrizione Prodotto

Description

Operating room tables with instruments support, dim. 135x65x86h cm
Operating room tables with AISI 304 stainless steel shelf, and aluminium tube carrying structure and rear instruments support; complete with 4 pirouetting castors diam. mm 80 and 4 sheet steel instruments hooks.
Overall dimensions about 135x65x86h cm, net weight about kg 32, volume m³ 0,18.
Supplied in assembling kit.

Length 135 cm
Width 65 cm
Height 86 cm
Weight 32 kg

OPERATING TABLE WITH INSTRUMENTS SUPPORT cm 120 x 65 x 86

Codice prodotto: ST-2512



Descrizione Prodotto

Description

Operating room tables with instruments support, dim. 120x65x86h cm
Operating room tables with AISI 304 stainless steel shelf, and aluminium tube carrying structure and rear instruments support; complete with 4 pirouetting castors diam. mm 80 and 4 sheet steel instruments hooks.
Overall dimensions about 120x65x86h cm, net weight about kg 30, volume m³ 0,16.
Supplied in assembling kit.

Length 120 cm
Width 65 cm
Height 86 cm
Weight 30 kg

OPERATING TABLE WITH INSTRUMENTS SUPPORT cm 80 x 65 x 86

Codice prodotto: ST-2513



Descrizione Prodotto

Description

Operating room tables with instruments support, dim. 80x65x86h cm
Operating room tables with AISI 304 stainless steel shelf, and aluminium tube carrying structure and rear instruments support; complete with 4 pirouetting castors diam. mm 80 and 4 sheet steel instruments hooks.
Overall dimensions about 80x65x86h cm, net weight about kg 25, volume m³ 0,11.
Supplied in assembling kit.

Length 80 cm
Width 65 cm
Height 86 cm
Weight 25 kg

EXAMINATION COUCH

Codice prodotto: ST-MED00107



Descrizione Prodotto

Description

Generic examination couch, 2 sections, epoxy coated white coloured oval tube structure, 50x25 mm. Sections covered with high density fire retardant imitation leather class 1 IM. Adjustable backrest with self-locking system. Supplied with paper roll support. Maximum load kg 130.
Supplied in assembling kit, volume about m³ 0,26.
Overall dimensions about cm 190x55x80 high.
Net weight about kg 32.
Available colors: black, white, blue, green

Length 190 cm
Width 55 cm
Height 80 cm
Weight 32 kg

Relax & blood taking chair ST-MED00047 with synchronized movements & arm supports

3 sections frame made of white epoxy coated steel tube structure (oval tube mm 50x25x1,5 for back section frame, rectangular tube mm 30x30x1,5 for seat frame, round tube diam. mm 20x1,5 for leg section frame). Sections padded with fireproof high density foam and covered with fireproof vinyl leather class 1 IM, easy to wash with traditional cleaning products. Adjustable back section and leg section by gas pump 400N (back section from +60° to -5° for Trendelenburg position, leg section from -80° to +5°). Supplied with adjustable padded arm supports cm 40x12,5 each, provided with junctions which guarantee the required position during their use; they can also be adjusted in height, removed and turned of 180°. At the base 4 adjustable plastic feet for a perfect stability. Maximum load kg 130. Dimensions cm 175x55x51 high, net weight kg 34. **Wide colour range available.**



EXAMINATION COUCH

Codice prodotto: ST-MED00007



Descrizione Prodotto

Description

Generic examination couch, 2 sections, epoxy coated silver grey coloured oval tube structure, 50x25 mm, modern hi-tech finishing. Sections covered with high density fire retardant imitation leather class 1 IM. Adjustable backrest by rack.

Optional (not included, to be ordered separately): paper roll support art. MED00001, breathing hole art. MED00002.

Maximum load kg 130.

Supplied in assembling kit, volume about m³ 0,26.

Overall dimensions about cm 190x60x80 high.

Net weight about kg 35.

Available colors: black, white, blue, green

Length 190 cm

Width 60 cm

Height 80 cm

Weight 35 kg

Examination couch, economic version, 3 sections ST-MED00027/S

Frame made of epoxy coated black colour rectangular steel tube 50x25 mm, legs made of chromed steel tube mm 30x30. Sections covered with high density fire retardant imitation leather class 1 IM. Adjustable sections with self-locking system (backrest inclination 70°, legrest inclination 90°). Optional (not included, to be ordered separately): paper roll support art. MED00001. Maximum load kg 130. Supplied in assembling kit, volume about m³ 0,22. Overall dimensions about cm 180x55x80 high. Net weight about kg 35. **Wide colour range on request.**



Gynaecological examination couch with Trendelenburg position, 3 sections ST-MED00037/T

Epoxy coated silver grey coloured oval tube structure, 50x25 mm, modern hi-tech finishing. Sections covered with high density fire retardant imitation leather class 1 IM. Adjustable sections with self-locking system (backrest inclination 70°, seat part in Trendelenburg position 45°). Supplied with stainless steel basin, pair of anatomical thigh rests made of polyurethane foam rubber and 2 adjustable feet. Optional (not included, to be ordered separately): paper roll support art. MED00001. Maximum load kg 130. Supplied in assembling kit, volume about m³ 0,26. Overall dimensions about cm 181x60x83 high. Net weight about kg 37. **Wide colour range on request.**



Delivery couch with Trendelenburg position, 3 sections ST-MED00037/P

Epoxy coated silver grey coloured oval tube structure, 50x25 mm, modern hi-tech finishing. Sections covered with high density fire retardant imitation leather class 1 IM. Adjustable sections with self-locking system (backrest inclination 70°, seat part in Trendelenburg position 45°). Supplied with stainless steel basin, pair of anatomical thigh rests made of polyurethane foam rubber, pair of firm holders, shoulder stand and 2 adjustable feet. Optional (not included, to be ordered separately): paper roll support art. MED00001. Maximum load kg 130. Supplied in assembling kit, volume about m³ 0,26. Overall dimensions about cm 181x60x83 high. Net weight about kg 40. **Wide colour range on request.**



Examination couch, economic version, 2 sections ST-MED00107/S

Frame made of epoxy coated black colour rectangular steel tube 50x25 mm, legs made of chromed steel tube mm 30x30. Sections covered with high density fire retardant imitation leather class 1 IM. Adjustable sections with self-locking system (backrest inclination 70°). Optional (not included, to be ordered separately): paper roll support art. MED00001. Maximum load kg 130. Supplied in assembling kit, volume about m³ 0,21. Overall dimensions about cm 190x55x80 high. Net weight about kg 32. **Wide colour range on request.**

Pediatric examination couch, 2 sections ST-MED00107/P

Frame made of epoxy coated black colour rectangular steel tube 50x25 mm, legs made of chromed steel tube mm 30x30. Sections covered with high density fire retardant imitation leather class 1 IM. Adjustable sections with self-locking system (backrest inclination 70°). Optional (not included, to be ordered separately): paper roll support art. MED00001. Maximum load kg 130. Supplied in assembling kit, volume about m³ 0,24. Overall dimensions about cm 130x55x80 high. Net weight about kg 30. **Wide colour range on request.**



POLTRONA ELETTRICA DAY CLINIC



Dimensioni esterne a poltrona inclusi i braccioli	132 x 83 x 53 cm.
Dimensioni esterne a lettino escluso braccioli	180 x 55 x 53 cm.
Altezza variabile	53/83 cm.
Dimensioni braccioli	36 x 13/10 cm.
Inclinazione alzaschiena	70° / 180°
TR	10° head-down
Portata	180 kg.



Overall length and width including arms	132 x 83 x 53 cm.
Overall length and width without arms	180 x 55 x 53 cm.
Adjustable height	53/83 cm.
Arms overall length and width	36 x 13/10 cm.
Backrest section up	70° / 180°
One-way tilt	10° head-down
Safe working load	180 kg.

POLTRONA ELETTRICA A 3 FUNZIONI PER USI SPECIALI DAY CLINIC 3 FUNCTIONS ARMCHAIR

ST-350750 Poltrona elettrica a 3 funzioni per usi speciali

Telaio costruito in profilati di acciaio di grosso spessore.
Sedile, schienale, poggiatesta e braccioli in paniforte sagomato con poliuretano stampato anatomicamente con poggiatesta.
Rivestimento in skay ignifugo nei colori: blu, verde, giallo, avorio.
Braccioli con struttura in tubo di acciaio cromato inseriti in un morsetto scorrevole orizzontalmente per cm 40 e verticalmente per cm 25. Questa regolazione permette un ampio adattamento a seconda delle necessità.
Carrello in tubo di acciaio con quattro ruote Ø 125 mm. girevoli con freno di cui 1 direzionale bloccabili con pedale situato dalla parte dello schienale.
Copertura del carrello di termoformato in lastra di ABS colore avorio RAL 1013. Predisposizione per l'inserimento dell'asta flebo cod. 500689 su entrambi i lati dalla parte schienale.
Verniciatura con polveri epossidiche a 200°, copertura media 90 micron colore avorio RAL 1013 con sistema robotizzato.
Mobilità garantita da attuatori elettrici a 24 Volt tramite pulsantiera a 4 pulsanti fornita di pannello con grafica esplicativa che regolano l'alzaschiena contemporaneamente al poggiatesta, l'altezza variabile, il trendelenburg.
 Kg. 78 mc. 0,85

ST-350750 Day clinic 3 functions armchair

Armchair frame constructed entirely of steel.
Backrest, seating, leg rest and arms padded and upholstered in plastic material in the following colours: blue, yellow, green and ivory.
 Armrest adjustable in a horizontal position for cm 40 and vertical position for cm 25. This regulation allows a wide adaptation to second of the necessities.
Four swivelling castors Ø 125 mm. with simultaneous braking and steering by pedal placed to backrest of the chair.
ABS thermoformed cover on the trolley.
Two device for I.V. ROD right and left and backrest side.
Painting RAL 1013 ivory epoxy powder (average cover 90 micron) by industrial robot
The three-Function bed has electric drive actuators to operate the back rest with leg rest, raise and lower the chair, and to operate the trendelenburg feature. To control the positioning use the 4 button, 3-function handset.
 Kg. 78 mc. 0,85

FUNZIONI - FUNCTIONS



A richiesta BATTERIA
 On request BATTERY

ST-500689 ASTA FLEBO REGOLABILE IN ALTEZZA (cm 120/200)

In acciaio verniciato e cromato, inseribile nei due alloggiamenti situati sul carrello sia a destra che a sinistra dalla parte dello schienale. Due ganci porta flaconi in materiale plastico. Possibilità di orientamento in senso orizzontale. 1,6 kg. - 0,01mc.

ST-500689 - ADJUSTABLE HEIGHT I.V. ROD (from 120 to 200 cm.)

Epoxy coated and chrome-plated steel. Arrangement in the two lodgings situated on the trolley is to right that on the left from the part of the back rest. Possibility of guideline in horizontal sense. 1,6 kg. - 0,01cu.m.



BLOOD DONOR CHAIRS

Codice prodotto: ST-350750



Descrizione Prodotto

Description

Electric couch for special uses, main frame made of steel epoxy powder coated (average coating 90 micron, 200°) by industrial robot, RAL 1013 ivory; support frame made of steel tube with 4 swivelling castors Ø 125 mm, one steering with simultaneous brakes by foot pedal. ABS thermoformed covering. Seat, back, arm-supports and leg-rest fireretardant upholstered and covered with washable plastic material (ivory, blue, yellow or green colour available).

Both sides prearranged for I.V. rod art. 500689 (not included optionals, to be ordered separately).

Adjustable armrest, horizontally to any position (max 40 cm) and vertically to any position (max 25 cm) allowing a full range of combinations. 3 positions adjustment by electric motors 220 V with low voltage transformer 24V: simultaneous raising backrest (70°-180°) and legrest, height adjustment from cm 55 to 95 and Trendelenburg tilt (max 10°). Provided with handset with explanatory graphics for easy use.

Safe working load kg 180.

Supplied already assembled, volume about m³ 0,85.

Overall dimensions about cm 180x55/83x55/95 high.

Net weight about kg 78.

Length 180 cm

Width 55 cm

Height 55 - 95 cm

Weight 78 kg

EXAMINATION COUCH 3 SECTION

Codice prodotto: ST-MED00027



Descrizione Prodotto

Description

Multifunctional examination couch, 3 sections, epoxy coated silver grey coloured oval tube structure, 50x25 mm, modern hi-tech finishing. Sections covered with high density fire retardant imitation leather class 1 IM. Adjustable sections with self-locking system. Supplied with 2 adjustable feet.

Optional (not included, to be ordered separately): paper roll support art. MED00001, breathing hole art. MED00002.

Maximum load kg 130.

Supplied in assembling kit, volume about m³ 0,26.

Overall dimensions about cm 185x60x85 high.

Net weight about kg 36.

Available colors: black, white, blue, green

Length 185 cm

Width 60 cm

Height 85 cm

Weight 36 kg

EXAMINATION COUCH WITH ADJUSTABLE HEIGHT

Codice prodotto: ST-MED01007



Descrizione Prodotto

Description

Examination couch with adjustable height, 2 sections, epoxy coated white coloured oval tube structure, 50x25x2 mm. Sections covered with high density fire retardant imitation leather class 1 IM. Adjustable height by electric motor (power 6000N) with pedal; during the movement, the bed remains in the same position without swinging. Adjustable backrest by gas cylinder (power 400N), backrest up +60° down -10°. Supplied with adjustable foot and paper roll holder.

Optional (not included, to be ordered separately): breathing hole art. MED00002, hand control panel art. MED00003.

Maximum load kg 130.

Supplied already assembled, volume about m³ 0,64.

Overall dimensions about cm 190x60x48/95 high.

Net weight about kg 70.

Available colors: black, white, blue, green

Length 190 cm

Width 60 cm

Height 48 - 95 cm

Weight 70 kg

Lunghezza 176 cm

Larghezza 60 cm

Altezza 95 cm

Peso 27 kg

Tempo di consegna: Merce pronta a magazzino

Altri colori disponibili:

EXAMINATION COUCH WITH ADJUSTABLE HEIGHT

Codice prodotto: ST-MED01007



Descrizione Prodotto

Description

Examination couch with adjustable height, 2 sections, epoxy coated white coloured oval tube structure, 50x25x2 mm. Sections covered with high density fire retardant imitation leather class 1 IM. Adjustable height by electric motor (power 6000N) with pedal; during the movement, the bed remains in the same position without swinging. Adjustable backrest by gas cylinder (power 400N), backrest up +60° down -10°. Supplied with adjustable foot and paper roll holder.

Optional (not included, to be ordered separately): breathing hole art. MED00002, hand control panel art. MED00003.

Maximum load kg 130.

Supplied already assembled, volume about m³ 0,64.

Overall dimensions about cm 190x60x48/95 high.

Net weight about kg 70.

Available colors: black, white, blue, green

Length 190 cm

Width 60 cm

Height 48 - 95 cm

Weight 70 kg

Lunghezza 176 cm

Larghezza 60 cm

Altezza 95 cm

Peso 27 kg

Tempo di consegna: Merce pronta a magazzino

Altri colori disponibili:

Stainless steel X-ray viewers

mounted on wall, electric power supply 230V 50Hz with ON/OFF switch; stainless steel structure, frontally provided with crash-proof acrylic opaline panel which makes light uniform; complete with device for automatic hanging of X-ray plates and rear holes for installation on the wall.

Light provided by round fluorescent tube(s) producing cold light; protection from overcurrent thanks to pair of rapid fuses - one per each phase.

ST-2905, 1 tube x 32W, 0,5A fuses, cm 43x43x12, net weight about kg 5

ST-2906, 2 tubes x 32W, 1A fuses, cm 67x43x12, net weight about kg 9

ST-2907, 2 tubes x 32W, 1A fuses, cm 97x43x12, net weight about kg 11

ST-2907/V, vertical for long plates, 2 tubes x 32W, 1A fuses, cm 43x97x12, net weight about kg 11

ST-2908, 3 tubes x 32W, 2A fuses, cm 127x43x12, net weight about kg 14

ST-2908/V, vertical for long plates, 3 tubes x 32W, 2A fuses, cm 43x127x12, net weight about kg 14

ST-2908/1, 2 tubes x 58W, 2A fuses, cm 158x43x12, net weight about kg 18

ST-2908/1-V, vertical for long plates, tubes x 58W, 2A fuses, cm 43x158x12, net weight about kg 18

2906



2908/V

Painted steel X-ray viewers

mounted on wall, electric power supply 230V 50Hz with ON/OFF bipolar switch with pin and bipolar fuse holder; structure made of oven epoxy-powder painted steel, frontally provided with crash-proof acrylic opaline panel which makes light uniform; complete with device for automatic hanging of X-ray plates and rear holes for installation on the wall.

ST-2905/E, 2 tubes x 15W, 2 x 1A fuses, cm 43x43x12, net weight about kg 6

ST-2906/E, 2 tubes x 18W, 2 x 1A fuses, cm 67x43x12, net weight about kg 8

ST-2907/E, 2 tubes x 30W, 2 x 1A fuses, cm 97x43x12, net weight about kg 11

ST-2907/E-V, vertical, 2 tubes x 30W, 2 x 1A fuses, cm 43x97x12, net weight about kg 11

ST-2908/E, 2 tubes x 36W, 2 x 1A fuses, cm 127x43x12, net weight about kg 14

ST-2908/E-V, vertical, 2 tubes x 36W, 2 x 1A fuses, cm 43x127x12, net weight about kg 14

ST-2908/1-E, 2 tubes x 58W, 2 x 2A fuses, cm 158x43x12, net weight about kg 18

ST-2908/1-E-V, vertical, 2 tubes x 58W, 2 x 2A fuses, cm 43x158x12, net weight about kg 18

2908/E-V



2907/E-V

2908/1-E-V

2906/E

Stainless steel trolleys with borders on 4 sides

medication or serving trolleys, entirely made of stainless steel, with 2 shelves with borders on 4 sides, 4 angulated legs, pushing handle made with round stainless steel tube and 4 pirouetting castors. Supplied in assembling kit.

ST-1260/W, castors diam. cm 6, overall dimensions about cm 60x40x75, net weight about kg 8, volume for transport m³ 0,03

ST-1261/W, castors diam. cm 8, overall dimensions about cm 70x50x82, net weight about kg10, volume for transport m³ 0,04

ST-1262/W, castors diam. cm 10, overall dimensions about cm 90x60x85, net weight about kg 13, volume for transport m³ 0,06



Stainless steel trolley cm 70x50x82 with 3 shelves

ST-1263/W, medication or serving trolley, entirely made of stainless steel, with 3 shelves with borders on 4 sides, 4 angulated legs, pushing handle made with round stainless steel tube and 4 pirouetting castors diam. cm 8. Supplied in assembling kit, volume for transport m³ 0,05. Overall dimensions about cm 70x50x82 high, net weight about kg 12.



EXAMINATION COUCH 3 SECTION WITH ADJUSTABLE HEIGHT

Codice prodotto: ST-MED01027



Descrizione Prodotto

Description

Multifunctional examination couch with adjustable height, 3 sections, epoxy coated white coloured oval tube structure, 50x25x2 mm. Sections covered with high density fire retardant imitation leather class 1 IM. Adjustable height by electric motor (power 6000N) with pedal; during the movement the bed remains in the same position without swinging. Adjustable backrest by gas cylinder (power 400N), up +60° down -10°. Adjustable central section by gas cylinder (power 600N), up +65°. Supplied with adjustable foot and paper roll holder.

Optional (not included, to be ordered separately): breathing hole art. MED00002, hand control panel ST-MED00003.

Maximum load kg 130.

Supplied already assembled, volume about m³ 0,64.

Overall dimensions about cm 195x60x48/95 high.

Net weight about kg 72.

Available colors: black, white, blue, green

Length 195 cm

Width 60 cm

Weight 70 kg

Lunghezza 176 cm

Larghezza 60 cm

Altezza 95 cm

Peso 27 kg

Tempo di consegna: Merce pronta a magazzino

Altri colori disponibili:

EXAMINATION COUCH 3 SECTION GYNECOLOGICAL WITH ADJUSTABLE HEIGHT

Codice prodotto: ST-MED01037



Descrizione Prodotto

Description

Gynaecological examination couch with adjustable height, 3 sections, epoxy coated white coloured oval tube structure, 50x25x2 mm. Sections covered with high density fire retardant imitation leather class 1 IM. Adjustable height by electric motor (power 6000N) with pedal; during the movement the bed remains in the same position without swinging. Adjustable backrest by gas cylinder (power 400N), up +60° down -10°. Adjustable central section by gas cylinder (power 600N), up +65°. Supplied with stainless steel basin, pair of anatomical thigh rests made of polyurethane foam rubber, adjustable in height, width, lengthwise sliding, adjustable foot and paper roll holder.

Optional (not included, to be ordered separately): hand control panel art. MED00003.

Maximum load kg 130.

Supplied already assembled, volume about m³ 0,64.

Overall dimensions about cm 195x60x48/95 high.

Net weight about kg 74.

Available colors: black, white, blue, green

Length 195 cm

Width 60 cm

Height 48 - 95 cm

Weight 72 kg

STRETCHER WITH ADJUSTABLE HEIGHT

Codice prodotto: ST-TEC01/2010



Descrizione Prodotto

Description

Stretcher entirely made of painted steel.

Structure of the mattress platform made of square tube wire mesh, divided in 2 removable sections, easy to clean; radiotranslucent platform available on request (optional, to be ordered separately); predisposed for the insert of IV rod in the 4 corners; pushing handles and side rails made of painted round tube steel diam. 30 mm; fold down side rails, easy to unlock and lower by rotation device; round bumpers on the 4 corners and additional perimetral bumper; adjustable backrest 80° by gas spring with lever on head side; TR-RTR mechanical movement with 3 positions (-15° head, 0°-12° feet), by lever on feet side.

Adjustable height trolley from cm 60 to cm 95 by horizontal oleodynamic pump by double pedal on both sides; 4 castors diam. 200 mm, 3 swivelling with brake and 1 swivelling directional with brake, controlled by a 3-positions foot lever.

Overall dimensions cm 202x72x60/95 high.

Optionals (not included, to be ordered separately):

- round oxy-bottle support, made of painted steel
- objects tray made of painted steel mesh
- 5th directional castor
- radiotranslucent platform
- I.V. rod

Length 202 cm

Width 72 cm

Height 60/95 cm

Weight 110 kg

CARRELLO

Codice prodotto: **ST-700-C**



SPECIFICHE TECNICHE

Struttura in alluminio anodizzato, completo di pannelli in ABS termoformato di dimensioni ingombro 75x55xH110 cm, mentre il piano è di dimensioni 65x50 cm, piano superiore ad invaso con pianetti laterali estraibili di dimensione 30x30 cm.

FRONTE

Il carrello è dotato di 9 cassetti, 6 di dimensioni 56x37xH5 cm, 3 di dimensioni 56x37xH10 cm, contenenti box per medicinali.

LATO DESTRO

Maniglia di spinta e serratura a chiave.

LATO SINISTRO

Portarifiuti aperto in ABS

BASE

Dotato di 4 ruote piroettanti diam. cm. 12,5 di cui due con freno e due senza.

Questo carrello viene fornito solo in questa colorazione: struttura grigio perla con angoli azzurri, piano superiore azzurro, frontali di cassetti grigi.

Il carrello non necessita di marchio CE in quanto non rientra nei dispositivi medici.

CARRELLO - Codice prodotto: **ST-850-M**



SPECIFICHE TECNICHE

Struttura in alluminio anodizzato, completo di pannelli in ABS termoformato di dimensioni 90x60xH114 cm, il piano superiore ad invaso con fondo in acciaio inox con maniglie di spinta integrate nel piano superiore, sul quale sono poste le ringhierine contenitive in tubolare inox diam. 15 mm.

FRONTE

Il carrello è dotato di 6 cassetti, 5 di dimensioni 56x37xH10 cm, 1 di dimensioni 56x37xH20 cm, contenenti 50 box per medicinali.

LATO DESTRO

2 portarifiuti da 10 lt. circa in ABS con coperchio facilmente asportabile per lo svuotamento e la pulizia, 1 asta porta accessori a 90° girevole e regolabile.

LATO SINISTRO

1 ripiano porta flaconi con ringhierina di protezione diam. 7 mm in acciaio inox, sotto 1 vano basculante in ABS adatto per il contenimento di documenti ed altro, 1 pianetto in ABS stampato di dimensioni 40x40 cm. con maniglia di estrazione (quando non utilizzato rientra sotto il piano superiore).

BASE

Dotato di 4 ruote piroettanti diam. cm. 12,5 di cui due con freno e due senza.

Questo carrello viene fornito solo in questa colorazione: struttura grigio perla con angoli azzurri, piano superiore azzurro, frontali di cassetti grigi.

Il carrello non necessita di marchio CE in quanto non rientra nei dispositivi medici.

SPACEWALL®

SISTEMI DI ARREDO

SW Group S.R.L. - P.TA IVA 08086320960 - Cap. Soc. € 10.000,00
Sede legale e operativa: via Santa Maria in Campo 3A - 20873 Cavenago Brianza (MB)
Tel. 0295335029 / 0295335021 - Fax 0295337007 - email: vendite@spacewall.it